

The Chemistry of Candy

Candy seems simple—sweet, bright, and fun—but every bite is a tiny chemistry lab. Artificial colors bend light to create neon hues. Food acids tune pH so sour flavors pop without wrecking texture. Sugars melt, break apart, and re-solidify into glasses or crystals that define chew and crunch. Understanding these processes turns a bag of treats into a tour of solutions, reactions, and materials science. This article unpacks the chemistry of color, sourness, sugar structure, and texture so you can read labels, troubleshoot recipes, and explain why your favorite candy behaves the way it does.



Why color matters (and how dyes work)

Color shapes how we expect food to taste: red suggests cherry or strawberry, yellow reads as lemon, and blue

TWF SAMPLE

At the molecular level, a dye's color depends on its conjugated system—alternating single and double bonds that let electrons absorb specific wavelengths of visible light. Change the length or shape of this system and the absorption shifts, which is why Blue 1 and Red 40 appear different. Because many dyes are ionic, they

TWF SAMPLE

pH also nudges shade and stability. Some dyes shift color when the environment becomes more acidic or basic, so formulators include buffers (weak acid + its salt) to hold pH steady. Exposure to light and oxygen can fade colors over time, so opaque packaging and antioxidants may be used. The key lesson: choose colorants by structure and solubility and protect them with the right pH and packaging.

The power of acids: sour taste and pH

The mouth-puckering kick in sour candies comes from food acids such as citric,

TWF SAMPLE



Acids do more than add taste. By controlling pH they influence color stability, the set of gelling agents (like pectin), and microbial safety. Pectin needs both sugar and acid to form a firm gel; if pH is too high, gummies slump, and if it is too low, gelling can be too rapid or brittle. To keep flavor and color consistent, sour candies often include buffer systems so pH stays within a tight range during storage. Some products use encapsulated acids—tiny particles coated with fat or starch—so the strongest sour burst is delayed until the candy dissolves on the tongue, protecting equipment and gels during manufacturing.

Sugar chemistry 101: sucrose, glucose, fructose, and invert sugar

Most candy starts with sucrose (table sugar), a disaccharide made of glucose and fructose. Heat plus acid—or the enzyme invertase—can hydrolyze sucrose into free glucose and fructose, producing invert sugar. This



TWF SAMPLE

Texture is physics + chemistry: glass vs. crystals

A hallmark of confectionery science is the decision to end with crystals or a glass. Crystalline candies—such as fudge, fondant, and some nougats—contain a huge number of tiny, well-controlled sugar crystals. To get that texture, the syrup is cooked to a specific concentration, cooled to a seeding temperature, and beaten so many nuclei form at once; lots of micro-crystals feel creamy on the tongue. If agitation happens too early or too little interfering agent is present, fewer, larger crystals grow and the candy turns gritty.

TWF SAMPLE

From caramel to color: thermal reactions

Heat drives two major pathways that create color and flavor in candies. Caramelization involves sugars alone: at high temperatures they dehydrate, fragment, and polymerize, producing brown pigments and aromas that suggest toffee and nuts. The Maillard reaction requires reducing sugars plus amino acids or proteins; it generates hundreds of flavor molecules and deeper browning, which is why milk caramels and toffees taste richer than sugar-only syrups. pH

TWF SAMPLE



Emulsifiers, gelling agents, and shine

TWF SAMPLE

pectin sets in the presence of sugar and acid; agar and carrageenan offer plant-based gels with different melt profiles. Choice of gelling agent affects chew, clarity, and melt-in-the-mouth feel. Finally, glazes and polishes (plant waxes or confectioner's shellac) provide gloss, reduce stickiness, and slow moisture pickup, extending shelf life.



Label literacy and dose makes the poison

Ingredient lists rank components by amount, while nutrition facts summarize sugars and acids per serving. Color additives and acids must be

declared, and approved FD&C colors have acceptable daily intakes (ADIs)

TWF SAMPLE

Myth check

- Myth: "Artificial colors are automatically dangerous." Fact: Approved colors pass safety evaluations and are used at tiny, regulated levels.
- Myth: TWF SAMPLE
- Myth: TWF SAMPLE

Reading Comprehension Questions

- 1) Why do confectioners choose between dyes and lakes, and how do solubility and product type guide that choice?
- 2) How can pH
- 3) What is invert
- 4) Explain how corn syrup and other interfering agents change crystal formation.
- 5) Describe how
- 6) What is a glass
- 7) Compare
- 8) How do
- 9) What
- 10) What does "dose makes the poison" mean for color additives, and how do labels help consumers evaluate use?

Extension Questions

- 1) Diagnose and fix: Your lollipop batch turned sticky during storage. Identify two likely causes and two fixes.
- 2) Design a
- 3) You need a vivid red in a chocolate-coated piece. Would you pick a dye or a lake? Justify using chemistry terms.
- 4) Write a short

Reading Comprehension Questions Answer Key

TWF SAMPLE

Extension Questions Answer Key

TWF SAMPLE