

The Chemistry of Spoiled Food Reading

GRADE 8 & UP READING

Improve students' literacy skills

Sub Plan

Science Applicability



Reading Comment



★★★★★ Extremely satisfied - Great resource to work on student reading comprehension and it tied into the topic I was teaching. My students have been struggling with reading and I've been incorporating more reading into my lessons. Thank you for the resource.



SCROLL

to take a look inside!




THE PROBLEMS YOU FACE

- **Limited time to teach scientific literacy and strengthen students' reading and analysis skills.**
- **Need meaningful extension activities to engage fast-moving learners.**
- **Difficulty creating effective last-minute sub plans that still support student learning.**

NO-PREP - PRINT/UPLOAD

- **CLASSROOM READY - No Prep, Ready-to-Use:** Print or assign digitally with Google Docs, Microsoft Word, and PDF formats for flexible classroom use
- **Questions and Answer Key**
- **Includes Varied Question Types:** Knowledge, thinking, connecting, application, and open-ended questions.



What Will Your Students Learn?

READING COMPREHENSION ARTICLE & QUESTION BUNDLE

Article with
Comprehension
Questions

Grade 8 and Up

Print & Digital

- Microbial spoilage
- Bacteria, yeasts, and molds
- Enzymatic browning
- Ripening and softening in fruits and vegetables
- Rancidity and lipid oxidation
- Factors that affect spoilage, including temperature, moisture, pH, oxygen, and light
- Spoilage vs. foodborne illness
- Refrigeration and freezing
- Drying, canning, and pasteurization
- Pickling, fermentation, preservatives, and safe food handling

Reading Comprehension Questions

1. What are three kinds of microorganisms that cause food to spoil?
2. Give two common signs that food has spoiled.
3. What is rancidity in food?
4. Why do cut apples or potatoes often turn brown?
5. How can you prevent food from becoming rancid (for example, by using a refrigerator or freezer) help prevent spoilage?
6. Why is it important to understand the chemistry of food spoilage?
7. What are some common kitchen foods that do not spoil easily?
- 8.
- 9.
- 10.

Extended Questions

- 1.
- 2.
- 3.
- 4.

The Chemistry of Spoiled Food

Food spoils when tiny living things or chemical reactions change it so it is no longer fresh or safe to eat. Spoilage can come from microorganisms (bacteria, yeasts, or molds) that grow in the food, or from natural chemical reactions. For example, cut fruits turn brown by an enzymatic oxidation reaction, and oils can go rancid (smell bad) when exposed to air. Spoiled food often looks or smells bad – you might see fuzzy mold on bread or smell sour milk. These changes show the food's quality has changed.



Sometimes spoilage organisms can make people sick if they are harmful germs. In fact, the CDC estimates that about 48 million Americans get sick each year from contaminated food, and the WHO reports nearly 600 million people worldwide fall ill from unsafe food annually. Understanding spoilage chemistry helps us know why foods go bad and how to prevent it.

We assume typical home conditions in a temperate climate. Refrigerator (~40°F or 4°C) or freezer (0°F). Cooking and storage follow ordinary methods (e.g. clean surfaces, sealed containers). We focus on common kitchen foods and do not consider extreme industrial processes.

Microbial Spoilage

The most common cause of food spoilage is microbial growth. Tiny organisms like bacteria, yeasts, and molds feed on the food's nutrients and multiply. For example, bacteria thrive in moist, protein-rich foods such as meat, fish, milk, and fresh vegetables. Common spoilage bacteria include *Pseudomonas* and *Lactobacillus*. Yeasts (single-celled fungi) often spoil sweet or acidic foods like fruit juices, jams, and soft drinks; they can produce gas or alcohol as they grow. Molds are fungi that grow on the surfaces of many foods, even if the food is fairly dry. You see mold as fuzzy green, black, or white patches on bread, cheese, or fruits. A classic example is *Rhizopus* growing on bread. Some molds even make mycotoxins, poisonous chemicals that are dangerous if eaten.

Google Access

Thank you for your purchase. Clicking the link below will take you to the Google Drive link where you can find the article and questions. Please make sure you are logged into the correct Google account before clicking the link.

Click here to place a copy directly into your Google Drive account.

PDF



Your Reading

The Chemistry of Spoiled Food

Food spoils when tiny living things or chemical reactions change it so it is no longer fresh or safe to eat. Spoilage can come from microorganisms (bacteria, yeasts, or molds) that grow in the food, or from natural chemical reactions. For example, cut fruits turn brown by an enzymatic oxidation reaction, and oils can go rancid (smell bad) when exposed to air. Spoiled food often looks or smells bad – you might see fuzzy mold on bread or smell sour milk. These changes show the food’s quality has changed.



Sometimes spoilage organisms can make people sick if they are harmful germs. In fact, the CDC estimates that about 48 million Americans get sick each year from contaminated food, and the WHO reports nearly 600 million people worldwide fall ill from unsafe food annually. Understanding spoilage chemistry helps us know why foods go bad and how to prevent it.

We assume typical home conditions in a temperate climate. Perishable foods are stored in a refrigerator (~40°F or 4°C) or freezer (0°F). Cooking and storage follow ordinary methods (e.g. clean surfaces, sealed containers). We focus on common kitchen foods and do not consider extreme industrial processes.

Microbial Spoilage

The most common cause of food spoilage is microbial growth. Tiny organisms like bacteria, yeasts, and molds feed on the food’s nutrients and multiply. For example, bacteria thrive in moist, protein-rich foods such as meat, fish, milk, and fresh vegetables. Common spoilage bacteria include *Pseudomonas* and *Lactobacillus*. Yeasts (single-celled fungi) often spoil sweet or acidic foods like fruit juices, jams, and soft drinks; they can produce gas or alcohol as they grow. Molds are fungi that grow on the surfaces of many foods, even if the food is fairly dry. You see mold as fuzzy green, black, or white patches on bread, cheese, or fruits. A classic example is *Rhizopus* growing on bread. Some molds even make mycotoxins, poisonous chemicals that are dangerous if eaten.



As spoilage microbes grow, they change the food’s smell, appearance, and texture. Spoiled foods often have bad odors or tastes and can look slimy or fuzzy. For example, Michigan State Extension notes you might smell sour milk or see “blue fuzzy stuff” on old leftovers, or bread that “tastes like dirt,” which is

actually unseen mold. When these changes happen, it is a clear sign the food is spoiled. (Fortunately, in most cases spoilage microbes simply ruin the food and do not cause serious illness.)

Enzymatic Reactions

All plant and animal foods contain enzymes – natural proteins that trigger chemical changes. After harvest or slaughter, enzymes keep working in the food. A well-known case is enzymatic browning: when you cut a fruit like an apple or potato, enzymes in the cells react with the air (oxygen) and turn certain compounds into brown pigments. This makes the cut surface quickly turn brown. For instance, slicing an apple or potato exposes phenol enzymes to air; the phenolase enzyme converts fruit phenols into brown melanin pigment. An apple turning brown is still safe to eat, but it shows quality is declining. (Lemon juice or cold water can slow this by denaturing the enzyme or keeping air away.)



Enzymes also cause fruits and vegetables to soften and ripen. For example, as bananas ripen, enzymes turn starches into sugars and break down cell walls. Nebraska Extension notes that as a banana goes from green to yellow to brown, not only does its color change, but its texture changes too. This softening and eventual mushiness is due to enzymes breaking down pectin and other cell components. In dairy or meat, enzymes (from bacteria or the food itself) can break down proteins and fats over time, causing off-flavors or slimy textures. Refrigeration or cooking (blanching) can inactivate many enzymes to slow these changes.

Chemical Spoilage

Even without microbes or enzymes, foods can spoil by chemical reactions. One major type is lipid oxidation, commonly called rancidity. This happens when oxygen from the air reacts with fats and oils in food. Unsaturated fats (found in nuts, seeds, vegetable oils, fish oils) are especially prone to this. The chemical reaction creates new compounds (aldehydes, ketones, alcohols) that smell and taste bad. In other words, fats break down and become rancid. For example, cooking oil or nuts stored too long will develop a sharp, sour odor. Exposure to light, heat, or metals speeds up rancidity. Scientists explain that when fats are exposed to oxygen, they form free radicals and peroxides, leading to off-odors and flavors. Food producers often add antioxidants (like vitamin E or BHA) or use airtight dark containers to slow this process.

Another chemical change is non-enzymatic browning (the Maillard reaction), which causes browning during cooking (like bread crust or roasted coffee). During storage, uncontrolled Maillard reactions can darken foods or change flavors (for example, milk powder may turn brown and lose nutrients). Hydrolytic rancidity is when moisture and lipase enzymes break fats into free fatty acids (as in butter going “soapy” smelly). Also, exposure to light and heat can destroy vitamins (especially vitamin C and A), reducing nutrition. In all, these chemical processes slowly make food less nutritious and unappetizing, even if not obviously moldy.



Factors That Affect Spoilage

Several conditions in the storage environment speed up or slow spoilage:

- **Temperature:** Warm temperatures make foods spoil faster. Microbes grow rapidly at room temperature. Most bacteria grow well between about 40°F and 158°F (5–70°C). Nebraska Extension explains that food deteriorates faster at higher temperatures, and that storage should be 40°F or below for refrigerated items. Refrigerators (~4°C or 40°F) slow most microbial growth, and freezers (0°F or –18°C) halt it almost entirely (freezing stops growth but does not kill all organisms). That is why perishable foods (milk, meat, cooked leftovers) should be chilled quickly after cooking. CDC guidelines note that leaving perishable food out of the fridge for more than 2 hours (or 1 hour if >90°F outside) can allow dangerous bacteria to grow.
- **Moisture:** Foods with high water content spoil much faster. Fresh fruits and vegetables (90–95% water) and raw meats (70–80% water) are very perishable. Moisture allows bacteria and molds to thrive. In contrast, very dry foods (like crackers, cereals, dried beans) resist microbes, though they may still go stale. However, if a dry food absorbs moisture (e.g. crackers on a humid day), it can become a good environment for spoilage.
- **pH (Acidity):** The acidity of food (pH) affects what microbes can grow. Most bacteria do not grow well below pH ~4.5. This is why sour or fermented foods (vinegar pickles, jams, sauerkraut) resist bacterial spoilage. Yeasts and molds tolerate acidity better, but even they slow down in very sour conditions. As [26] notes, pickling or fermentation lowers the pH to levels that inhibit bacteria.
- **Oxygen:** Oxygen in air is needed for many spoilage reactions. Most bacteria involved in spoilage are aerobic (they need oxygen) and moulds need it too. Fats oxidize in the presence of oxygen. Reducing oxygen (by vacuum packing or sealing) is a powerful way to slow spoilage. (Anaerobic bacteria like *Clostridium* can spoil foods without oxygen, but those usually occur in canned or vacuum-packed foods that were contaminated.)
- **Light:** Light (especially UV light) accelerates chemical spoilage. It speeds up fat oxidation and can break down vitamins and pigments (e.g. causing milk or beer to “skunk” if light shines on them). This is why light-sensitive foods are often in opaque containers.

In summary, cool, dry, and low-oxygen conditions slow spoilage; warm, moist, oxygen-rich conditions speed it up.

Spoilage vs. Food Safety

It is important to distinguish spoilage organisms from pathogens (foodborne illness germs). Spoilage microbes (many types of bacteria, yeasts, molds) grow in food and make it unappetizing – changing the color, smell, taste or texture. As MSU Extension explains, spoilage organisms often make food look or smell unpleasant (slimy meat, moldy bread), but usually do not cause serious illness. For example, bread with mold should be thrown out because it is no longer good, but the mold itself rarely causes death (though it might upset your stomach if eaten).

Pathogens (like *Salmonella*, *Listeria*, *E. coli*, or norovirus) are germs that can make you sick. Unlike spoilage microbes, pathogens often cannot be seen, smelled, or tasted. They can grow in food without obvious signs. For instance, properly cooked and stored food can still harbor a few *Salmonella* bacteria that can cause illness, even if the food smells fine. A good rule is: if food smells bad or tastes off, it is likely spoiled and should be thrown away – it’s not worth the risk. CDC and food experts advise, “If food has an off odor or appearance, don’t taste it” (it is probably under attack by spoilage organisms).

In contrast, you cannot trust sight or smell to detect pathogens. In practice, safe food handling thoroughly, keep things clean, and refrigerate promptly) is the best defense against pathogen

Preventing Spoilage

The good news is that spoilage can often be delayed with proper methods. The goal is to reduce what spoilage microbes and reactions need. Chilling and freezing: Keeping foods cold slows spoilage microbes and enzyme activity. Store perishable foods in the fridge at 40°F (4°C) below, and in the freezer at 0°F (–18°C). Quick chilling cooked foods and keeping the fridge c



Drying: Removing water prevents microbial growth. Dry fruits, jerky, powdered milk, and dried herbs keep far longer than fresh versions. Sun drying or dehydrators work by reducing moisture.

Canning and Pasteurization: Applying heat kills most microbes. Canning means sealing food cans and heating to a temperature that destroys microorganisms and enzymes. After cooling sealed lid prevents new bacteria from entering. Pasteurizing liquids (like milk or juice) means heating them briefly to kill pathogens. These methods dramatically extend shelf life.

Acidification (Pickling/Fermentation): Adding acid (vinegar, lemon) or fermenting with good bacteria (yogurt, kimchi) lowers pH. Most spoilage bacteria cannot grow in acidic conditions, so foods like pickles or sauerkraut stay safe for months.



Preservatives: Salt (curing meats) and sugar (making jams) bind water and create hostile environments for microbes. Chemical preservatives (approved additives like sodium benzoate or sulfites) also inhibit microbial growth.

Other tips: keep food in airtight containers or vacuum packs to reduce oxygen, wrap produce to limit air, and store foods in the right zones of the fridge (meat on the bottom, vegetables in a crisper). Always follow the “first in, first out” – use older food before new practice good hygiene: wash hands and surfaces, and don’t cross-contaminate (e.g. use cutting boards for raw meat and veggies). In short, fresh and clean handling plus cold storage will keep food from spoiling as long as possible. Together, these methods form a “hurdle” approach – combining barriers (temperature, acidity, etc.) so that spoilage organisms cannot survive. By understanding the causes of spoilage, we can apply the right technique to protect our food, waste less, and stay healthy.

Reading Comprehension Questions

1. What are three kinds of microorganisms that cause food to spoil?
2. Give two common signs that food has spoiled.
3. What is rancidity in food?
4. Why do cut apples or potatoes often turn brown?
5. How does keeping food cold (in a refrigerator or freezer) help prevent spoilage?
6. What is the difference between food spoilage and foodborne illness?
7. Name two methods of preserving food mentioned in the reading.
8. How does pickling (using vinegar or acid) prevent spoilage?
9. Why should you throw away food that smells or looks bad?
10. What role do enzymes play in the spoilage of fruits and vegetables?

Extension Questions

1. Find a real example of a fermented food (like yogurt, sauerkraut, or kimchi). Describe how fermentation preserves it.
2. Research a news story or case where a large amount of food spoiled or caused illness (for example, a moldy crop or contaminated product). What happened and why?
3. Pick one fresh food (such as bread, milk, or lettuce) and research how long it stays fresh in a refrigerator vs at room temperature. What factors affect its shelf life?
4. Explain how salt or sugar can act as a preservative. Give an example of a food that is preserved this way.
5. Find out the recommended temperature for your refrigerator and freezer. How do these temperatures help keep food safe?


Full Answer Key

Comprehension and Extension Questions




Upgrade to the Grade 8 and Up Reading Mega Bundle

Includes over 150 readings for students in grades 8 and up. The bundle covers all science topics and will save you over 80%.



CLASSROOM READY

- Questions and Answer Key
- **No Prep, Ready-to-Use:** Print or assign digitally with Google Docs, Microsoft Word, and PDF formats for flexible classroom use
- **Includes Varied Question Types:** Knowledge, thinking, connecting, application, and open-ended questions.



★★★★★ Extremely satisfied - It is a good supplemental activity either for review and at the same time introducing some concept. I also use this for sub plan. It is well presented, organized and interesting.

★★★★★ Extremely satisfied - This a great resource. I used this for a sub plan. It was fun and engaging for my students.

Grade 8 and Up Scientific Reading Comprehension Article Mega Bundle

ALL my current and future grade 8 and up readings, covering the following subject areas:

Biology
Chemistry
Earth and Space
Ecology and the Environment
Energy
Health
Natural Disasters
Physics



Improve your students' **Literacy and Analysis Skills**, use as an **Emergency Substitute Plan** or create **Applicability** in your classroom

**Click to
learn more!**

Thanks
**for your interest
in this resource!**

I am a real person and if
you have any questions,
suggestions, or concerns,
please reach out.



devon@teachwithfergy.com

TWF

Teach With Fergy

*Let's
Connect!*

